

# BULK MONOTIRO

## Regulador instalado con una vuelta y un poquito mas (5 minutos)

### TEST 1


Muelle 88mm 14 vueltas.

Tornillo del martillo dejado a ras (ni metido y salido)

Balín JSB. Peso 1,03

Pres. Dep	TIRO	Velo.	Julios
150 bar	1	238,3	29,25
	2	232,5	27,84
	3	234,1	28,22
	4	233,9	28,18
	5	234,1	28,22
	6	232,7	27,89
	7	233,9	28,18
	8	233,4	28,05
	9	233,4	28,05
	10	234,4	28,30
	11	235,1	28,47
	12	233,9	28,18
	13	234,4	28,30
	14	233,2	28,01
	15	233,2	28,01
	16	234,1	28,22
	17	235,6	28,59
	18	234,4	28,30
	19	232,9	27,93
	20	234,6	28,34
	21	233,4	28,05
	22	232,9	27,93
	23	232,5	27,84
75 bar	24	231,8	27,67

ONIX®



### TEST 2


Muelle 88mm 14 vueltas. Corto 4 vueltas (queda a 10 vueltas, 60mm)

Tornillo del martillo atornillado muy poquito (muy salido)

Balín JSB. Peso 1,03

Pres. Dep	TIRO	Velo.	Julios
150 bar	1	167,4	14,43
	2	169,3	14,76
	3	169,8	14,85
	4	175,2	15,81
	5	169,1	14,73
	6	168,9	14,69
	7	172,8	15,38
	8	173,9	15,57
	9	171,4	15,13
	10	172,4	15,31
	11	173,8	15,56
	12	174,7	15,72
	13	173,5	15,50
	14	173,4	15,48
	15	174,6	15,70
	16	174	15,59
	17	171,2	15,09
	18	170,8	15,02
	19	175,1	15,79
	20	171	15,06
	21	173,9	15,57
	22	172,1	15,25
	23	173,2	15,45
140 bar	24	173,6	15,52

ONIX®



## TEST 3


Muelle 88mm 14 vueltas. Corto 4 vueltas (queda a 10 vueltas, 60mm)

Tornillo del martillo muy atornillado (muy metido)

Balín JSB. Peso 1,03

Pres. Dep	TIRO	Velo.	Julios
150 bar	1	246	31,17
	2	235,8	28,63
	3	233,4	28,05
	4	233,9	28,18
	5	234,1	28,22
	6	233,2	28,01
	7	234,4	28,30
	8	233,6	28,10
	9	233,6	28,10
	10	234,8	28,39
	11	234,4	28,30
	12	234,8	28,39
	13	234,1	28,22
	14	232,5	27,84
	15	233,6	28,10
	16	233,9	28,18
	17	234,1	28,22
	18	233,6	28,10
	19	234,1	28,22
	20	234,4	28,30
	21	234,4	28,30
	22	233,9	28,18
	23	233,4	28,05
95 bar	24	233,9	28,18

ONIX®



## TEST 4


Muelle 88mm 14 vueltas. Corto 4 vueltas (queda a 10 vueltas, 60mm)

Tornillo del martillo dejado a ras (ni metido y salido)

Balín JSB. Peso 1,03

Pres. Dep	TIRO	Velo.	Julios
150	1	227,4	26,63
	2	226,2	26,35
	3	228,1	26,80
	4	224,9	26,05
	5	226,9	26,51
	6	228,7	26,94
	7	227,6	26,68
	8	228,7	26,94
	9	228,7	26,94
	10	229,2	27,05
	11	227,8	26,72
	12	228,3	26,84
	13	228,1	26,80
	14	226,9	26,51
	15	228,5	26,89
	16	226,9	26,51
	17	227,4	26,63
	18	228,5	26,89
	19	226,2	26,35
	20	228,3	26,84
	21	228,5	26,89
	22	227,6	26,68
	23	226,9	26,51
120 bar	24	228,1	26,80

ONIX®



# TEST 5

Muelle 80mm 18 vueltas (muelle más duro).

Tornillo del martillo dejado a ras (ni metido y salido)

Balín JSB. Peso 1,03

Pres. Dep	TIRO	Velo.	Julios
150 bar	1	244,1	30,69
	2	235,1	28,47
	3	235,6	28,59
	4	235,3	28,51
	5	234,6	28,34
	6	236,3	28,76
	7	235,8	28,63
	8	233,4	28,05
	9	235,1	28,47
	10	232,9	27,93
	11	235,6	28,59
	12	235,3	28,51
	13	234,6	28,34
	14	232,5	27,84
	15	235,3	28,51
	16	232,9	27,93
	17	233,9	28,18
	18	234,8	28,39
	19	234,8	28,39
	20	232,7	27,89
	21	232,7	27,89
	22	231,3	27,55
	23	229,2	27,05
70 bar	24	226,5	26,42

**ONIX**<sup>®</sup>

